

C A B B A G E

Dr. Donies Gegie

APPLICATION: twice during the season

first time with seeds 30 g/ha "profi"

or foliar 30 g/ha "profi" or 300 g/ha "green" – in stage of 2-3 leafs

second time foliar 30 g/ha "profi" or 300 g/ha "green" – upon transplantation

Formulation		Dosing		Remark
identifier	mark	w h e n	how much	h o w
	DS	with seed (first time)	30 g "profi" to a planting unit *) per ha	manually, in case of lack of appropriate equipment or keep (10 to 15 min) seeds soaked in solution
powder	WP	in stage of 2-3 leafs (first time) 3 - 7 days upon transplantation or prior to flowering (second time)	two times per 30g "profi" or 300g "green" dissolved in water per one ha of cabbage	to dissolve 300g "green" into 4 to 5 liters, i.e. 30g "profi" into 1.5 to 2 liters of warm water which is to be divided to number of tanks necessary for spraying one ha of cultivated land
concentrated water suspension for the treatment of seed	FS, SC	with seed (first time)	0.25 l to a planting unit *) per ha	it is used exclusively in industrial seed finishing centers upon request

Recommendation: after picking to spray with 150g/ha "green" or 15g/ha "profi" (improves blossoming and prolongs breeding)

greater leaf area with more chlorophyll longer and more ramified root

maturation

earlier

faster and more

uniform sprouting

improves resistance to climate, pests and increase dry matter
 content("solid")

12000

increased sugar content

better exchange of nutritive substances (nutrition)

COMPLETELY HARMLESS FOR PEOPLE, ANIMALS (INCLUDING BEES) AND ENVIRONMENT; IT DOES NOT REQUIRE SPECIAL MEASURES OF HYGIENIC AND TECHNICAL PROTECTION ****)

Ministry of Agriculture, Forestry and Water Management of the Republic of Serbia Decision № 321-01-02214/2019-11 dated February 10, 2020

^{*)} planned quantity of seed to be sown per one ha

for details please contact the distributor – time of delivery is 7 days

^{****)} Decision № 3/2-08-9291/02 dated 13/01/03 of Ministry of Labor, healthcare and social welfare of Federal Republic of Yugoslavia



APPLICATION

-cabbage -

in the production of seedling

(at the producer of seed - upon request or directly during sowing)

- more powerful root system (more ramified)
- greater leaf area and intense forming of leaf
- plants in deep green color (more chlorophyll)
- improved resistance to pests and diseases

during and after planting

(by keeping the seedling in solution or by spraying 3-7 days after planting)

- more efficient root system
- increased green mass
- earlier maturation
- more durable crop-better stand to climate extremes: moisture / drought
- increased sugar content and dry matter ("solid")

HIGHER FRUITAGE BY 5 TO 10% - RAISE THE CATEGORY OF THE FRUIT QUALITY (more proper for processing and storage!)

Application: as a rule 300 g/ha "green" (or 30 g/ha "profi"), two times during the season

First time: applay both or with seed (soak in a solution or dust) or spray in stage

of 2-3 leafs

Second time: spray 3-7 days after transplation or prior to flowering, dividing the

quantity of powder dissolved in the already prepared solution per hectare plantation of other preparation (not require a separate pass), respectively, the amount of water needed to spray one hectare.

Recommendation: after picking to spray with 150g/ha "green" or 15g/ha "profi" (improves blossoming and prolongs breeding)

COMPLETELY HARMLESS FOR PEOPLE, ANIMALS (INCLUDING BEES) AND ENVIRONMENT; IT DOES NOT REQUIRE SPECIAL MEASURES OF HYGIENIC AND TECHNICAL PROTECTION *)

Dr Danica Gajic invents Agrostemin. As a unique preparation (it is neither a fertilizer, it is neither a pesticide, nor a phytohormone) with wide range of effects, based on researches, testings and verifications done by Scientific institutions and eminent scientists and based on proven effects in application, AGROSTEMIN® over 30 years of application in the agriculture in Yugoslavia has been classified as a standard agrotechnical measure, i.e. a preparation for improving the quality and increasing quantity of yield **).

AGROSTEMIN® is produced as per the Yugoslav Patent office document no. 32749. Considering the fact that there are also forgeries present on the market, with quality control we obtained the right to put the

^{№ 3/2-08-9291/02} dated 13/01/2003 of Ministry of Labor, healthcare and social welfare of FR of Yugoslavia Decision

^{**} Decision № 321–01–02214/2019–11 dated 10/02/2020 of Ministry of Agriculture, Forestry and Water Management of Serbia